

product portfolio

& SPECIFICATIONS REFERENCE

1

scullery sinks

2

specialty sinks

3

drop-in sinks





4

undermount sinks

5

tables & tops

GRIFFIN
PRODUCTS, INC

	PORTFOLIO page	SPECIFICATIONS [sec] page
 Scullery Sinks		
C Series	1	[1]..... 1-12
T Series	2	[1]..... 13-24
 Specialty Sinks		
Hand Wash Sinks.....	3-5	[2]..... 1-11
Multi-Station Hand Wash	5	[2]..... 12-15
Jumbo Sinks	6	[2]..... 16
Utility Sinks	6	[2]..... 17-18
Mop Sinks.....	7	[2]..... 19-20
Trough Urinals.....	7	[2]..... 21-24
 Drop-In Sinks		
RC Series.....	8	[3]..... 1-3
RS Series.....	8	[3]..... 4-6
Light Duty	9	[3]..... 7-13
 Undermount Sinks		
RU Series.....	10	[4]..... 1-4
RA Series.....	10	[4]..... 5-8
Light Duty	11	[4]..... 9-11
 Tables & Tops		
Dish Tables.....	11	[5]..... 1-4
Work Tables.....	12	[5]..... 5-8
Countertops	12	[5]..... 9
Accessories.....	13	

Scullery Sinks



LIFETIME GUARANTEE


product portfolio

[C Series]


COVED CORNER Sinks




- 14 gauge, type 304 stainless steel (C75 Models).
- 16 gauge, type 304 stainless steel (C60 Models).
- 3/4" radius sink compartment(s).
- True gauge sink bowls, not deep drawn.
- Robust, unitized construction.
- Apron front enclosure is standard.
- Stainless steel legs and feet are standard.
- 12 standard bowl sizes. 3 standard drainboard lengths.
- Custom configurations are available.
- NSF approved.
- Lifetime guarantee.




CXX-1XX-00
[1]-1




CXX-2XX-00
[1]-5




CXX-3XX-00
[1]-9




CXX-1XX-X0
[1]-2




CXX-2XX-X0
[1]-6




CXX-3XX-X0
[1]-10




CXX-1XX-0X
[1]-3




CXX-2XX-0X
[1]-7




CXX-3XX-0X
[1]-11



CXX-1XX-XX
[1]-4



CXX-2XX-XX
[1]-8




CXX-3XX-XX
[1]-12

[T Series]


SQUARE CORNER Sinks




- 14 gauge, type 304 stainless steel (T75 Models).
- 16 gauge, type 304 stainless steel (T60 Models).
- Square corner sink compartment(s).
- True gauge, not deep drawn.
- Durable, unibody construction.
- Stainless steel legs and feet are standard.
- Compatible with DR series drainboards.
- Optional integral drainboards.
- Custom configurations are available.
- Lifetime guarantee.




TXX-1XX-00
[1]-13




TXX-2XX-00
[1]-17




TXX-3XX-00
[1]-21




TXX-1XX-X0
[1]-14




TXX-2XX-X0
[1]-18




TXX-3XX-X0
[1]-22




TXX-1XX-0X
[1]-15




TXX-2XX-0X
[1]-19




TXX-3XX-0X
[1]-23



TXX-1XX-XX
[1]-16



TXX-2XX-XX
[1]-20



TXX-3XX-XX
[1]-24

Specialty Sinks



LIFETIME GUARANTEE

product portfolio



H68-128
[2]-1



[H68-128] HAND WASH Sink

- 16 gauge, type 304 stainless steel.
- 20" x 14" compartment, 5" deep.
- 8" tall backsplash with 2" return.
- Rear centered drain.
- True gauge sink bowls, not drawn.
- Apron front.
- Meets ADA and TAS standards.
- NSF approved.
- Lifetime guarantee.



H65-232
[2]-2



H65-234
[2]-3

[H65] HAND WASH Sinks

- 16 gauge, type 304 stainless steel.
- 20" x 14" compartment, 5" deep.
- 2½" tall backsplash with 1" return.
- Rear centered drain.
- True gauge sink bowls, not drawn.
- Apron front.
- Meets ADA and TAS standards.
- NSF approved.
- Lifetime guarantee.



H63-232
[2]-4



H63-234
[2]-5

[H63] HAND WASH Sinks

- 16 gauge, type 304 stainless steel.
- 17" x 17" compartment, 5" deep.
- 2½" tall backsplash with 1" return.
- Rear centered drain.
- True gauge sink bowls, not drawn.
- Apron front.
- Meets ADA and TAS standards.
- NSF approved.
- Lifetime guarantee.

[H60]

HAND WASH Sinks



H60-128
[2]-6

H60-228
[2]-7

- 16 gauge, type 304 stainless steel.
- 14" x 10" compartment, 5" deep.
- Die formed countertop rim.
- 8" tall backsplash with 2" return.
- True gauge sink bowls, not drawn.
- NSF approved.
- Lifetime guarantee.

[H60-110P]

HAND WASH Sink



H60-110P
[2]-8

- 16 gauge, type 304 stainless steel.
- 14" x 10" compartment, 5" deep.
- Die formed countertop rim.
- 8" tall backsplash with 2" return.
- True gauge sink bowls, not drawn.
- Sink rests on full size pedestal base.
- Removable front panel.
- Faucet and valve included.
- NSF approved.
- Lifetime guarantee.

Specialty Sinks



LIFETIME GUARANTEE

product portfolio



H60-110W
[2]-9

[H60-110W] HAND WASH Sink

- 16 gauge, type 304 stainless steel.
- 14" x 10" compartment, 5" deep.
- Die formed countertop rim.
- 8" tall backsplash with 2" return.
- True gauge sink bowls, not drawn.
- Sink rests on full size apron.
- Faucet and valve included.
- NSF approved.
- Lifetime guarantee.



H30-124C
[2]-10



H30-224C
[2]-11

[H30] HAND WASH Sinks

- 20 gauge, 300 series stainless steel.
- 14" x 10" compartment, 5" deep.
- 8" tall backsplash with 2" return to the wall.
- Die formed countertop rim.
- Faucet & drain are included.
- NSF approved.
- Limited guarantee.



MS-XXX
[2]-12 to [2]-15

[MS Series] MULTI-STATION HAND WASH Sinks

- 16 gauge, type 304 stainless steel.
- Robust unibody construction.
- Standard lengths are 4', 5', 6' and 8'.
- 9" tall backsplash with 2" return to the wall.
- Tubular brackets and wall hanger are included.
- 3½" flat strainer drain included, upon request.
- Custom sizes available.
- Lifetime guarantee.

[JS]

JUMBO 'tuba' Sinks



JS-4XX
[2]-16

- 14 gauge, type 304 stainless steel.
- JS-423 compartment size - 42" x 30".
JS-483 compartment size - 48" x 30".
- Large, 30" deep compartment.
- 12" backsplash with 2" return.
- Great for cleaning large musical instruments.
- Sink rests securely on heavy support channels.
- Custom sizes available.
- Lifetime guarantee.

[T60-144]

UTILITY Sink



T60-144
[2]-17

- 16 gauge, type 304 stainless steel.
- 24" x 24" compartment, 14" deep.
- Square corner construction.
- True gauge, not deep drawn.
- Durable, unibody design.
- Stainless steel legs and feet are standard.
- Compatible with DR series drainboards.
- Custom configurations are available.
- Lifetime guarantee.

[LT-118]

UTILITY Sink



LT-118
[2]-18

- 16 gauge, type 304 stainless steel.
- 21" x 18" compartment, 14" deep.
- Square corner construction.
- True gauge, not deep drawn.
- Durable, unibody design.
- Stainless steel legs and feet are included.
- Compatible with DR series drainboards.
- Custom configurations are available.
- Lifetime guarantee.

Specialty Sinks



LIFETIME GUARANTEE

product portfolio

[UM-188]

MOP Sink



UM-188
[2]-19

- 16 gauge, type 304 stainless steel.
- 18" x 18" compartment, 14" deep.
- Square corner construction.
- True gauge, not deep drawn.
- Durable, unibody design.
- Stainless steel legs and feet are included.
- Compatible with DR series drainboards.
- Custom configurations are available.
- Lifetime guarantee.

[UM-220]

MOP Sink



UM-220
[2]-20

- 16 gauge, type 304 stainless steel.
- 20" x 20" compartment, 8" deep.
- Square corner construction.
- True gauge, not deep drawn.
- Durable, unibody design.
- 1½" back splash.
- 3½" free flow drain is available.
- Custom configurations are available.
- Lifetime guarantee.

[TU2 Series]

TROUGH URINALS



TU2-XXX
[2]-21 to [2]-24


- 16 gauge, type 304 stainless steel.
- Robust unibody construction.
- Standard lengths are 18", 36", 48", and 60".
- Integral flush reservoir. Requires valve only.
- Tile edge with pre-drilled mounting holes.
- 1½" beehive strainer drain is available.
- Custom sizes available.
- Lifetime guarantee.

[RC Series]


Drop-In's




- 16 gauge, type 304 stainless steel.
- Coved corner compartments.
- True gauge sink bowls, not drawn.
- Sink bowls are 12" deep.
- ½" raised rim is standard.
- Also available with drainboards.
- Custom sizes are available.
- NSF approved.
- Lifetime guarantee.



RC-1XX
[3]-1



RC-2XX
[3]-2




RC-3XX
[3]-3

[RS Series]


Drop-In's




- 16 gauge, type 304 stainless steel.
- Square corner compartments.
- Robust unibody construction.
- True gauge compartments, not drawn.
- Sink compartments are 12" deep.
- ½" raised rim is standard.
- Also available with drainboards.
- Custom sizes are available.
- Lifetime guarantee.



RS-1XX
[3]-4



RS-2XX
[3]-5



RS-3XX
[3]-6

Drop-In Sinks

LIFETIME GUARANTEE

product portfolio



CLS-1515
[3]-7



LS-2522
[3]-8



CLS-2522
[3]-9



PBLS-3322
[3]-10



CLD-3322
[3]-11



WLT-4822
[3]-12




CLTF-4322
[3]-13

[RU Series]


UNDERMOUNT Sinks




- 16 gauge, type 304 stainless steel.
- Square corner compartments.
- Robust unibody construction.
- True gauge compartments, not drawn.
- Sink compartments are 8" deep.
- Available in 12 configurations.
- Custom sizes are available.
- Lifetime guarantee.




RU-XX20-100
[4]-1



RU-XX20-150
[4]-2



RU-XX20-175
[4]-3




RU-XX20-200
[4]-4

[RA Series]


UNDERMOUNT (Farm) Sinks




- 16 gauge, type 304 stainless steel.
- Square corner compartments.
- Robust unibody construction.
- True gauge compartments, not drawn.
- Sink compartments are 8" deep.
- Available in 12 configurations.
- Custom sizes are available.
- Lifetime guarantee.




RA-XX20-100
[4]-5



RA-XX20-150
[4]-6



RA-XX20-175
[4]-7



RA-XX20-200
[4]-8

Undermounts • Dish Tables



LIFETIME GUARANTEE

product portfolio



RUS-2318
[4]-9



RUS-2918
[4]-10




RUD-3118
[4]-11




[DTS/DTC] DISH TABLES

- 16 gauge, type 304 stainless steel.
- Standard lengths 2'-9", 30" wide.
- 8" backsplash with 2" return and 1" tile edge.
- Standard opening 20½" or specify.
- Soiled tables (DTS) include 20" x 20" pre-wash sink, 8" deep.
- Stainless legs and rails are standard.
- NSF approved. Custom sizes are available.
- Lifetime guarantee.



DTS-XX-LT
[5]-1

DTC-XX-RT
[5]-2



DTC-XX-LT
[5]-3


DTS-XX-RT
[5]-4

[TRF/TUF/TRB/TUB]


WORK TABLES




- 16 gauge, type 304 stainless steel.
- Standard sizes 2'-9" x 24", 30" or 36" wide.
- Heavy 14 gauge channels stabilize unit.
- Choose (flat top/backsplash) x (undershelf/rails).
- Table bases are welded rails or bolted shelf.
- Available with welded-in sinks.
- NSF approved. Custom sizes are available.
- Lifetime guarantee.




TRF-XXX
[5]-5



TUF-XXX
[5]-6



TRB-XXX
[5]-7



TUB-XXX
[5]-8

[CTE/CTS]

COUNTERTOPS



- 16 gauge, type 304 stainless steel.
- CTE - Raw edge back.
- CTS - 5" backsplash with 1" return.
- Standard lengths 2'-10', 25" wide.
- Standard end configurations.
 - E (raw edge), -D (turn down), -S (end splash).
- 1½" turndown in front, ½" back.
- Available with welded-in sink.
- Custom configurations are available.
- Lifetime guarantee.

CTE-XXX-XX
[5]-9

CTS-XXX-XX
[5]-9

Accessories



LIFETIME GUARANTEE

product portfolio



FS-108 8" Swing Spout
FS-112 12" Swing Spout
FS-114 14" Swing Spout



FS-208 8" Swing Spout
FS-210 10" Swing Spout
FS-212 12" Swing Spout



FG-105 5" Gooseneck



FG-205 5" Gooseneck



FA-100 Wrist Blade Handles



FA-300 Knee Control Package
FA-400 Foot Control Package



FV-100 Metered Flush Valve



FV-200 Flush Handle Valve



WA-350 3 1/2" Basket Drain
WA-150 1 1/2" Basket Drain



WA-351 3 1/2" Flat Strainer Drain
WA-151 1 1/2" Flat Strainer Drain



WA-500 Beehive Drain



FR-128 Wall Mount Pre-Rinse
FR-228 Deck Mount Pre-Rinse



WL-200 2" Lever Waste Drain
WL-150 2" - 1 1/2" Reducer



WL-201 2" Lever Waste w/ Ovfl
WL-150 2" - 1 1/2" Reducer



WL-100 Mini Lever Waste



GRiFFiN
PRODUCTS, INC.